



License No. 800025015
FL License # CMTL-0003
CLIA No. 10D1094068

Certificate of Analysis

Compliance Test

GETHEMPD
1799 ISABEL RD OESTE
BOCA RATON, FL 33486

Batch # GH.3.12.21.D8DS.02
Batch Date: 2021-03-12
Extracted From: HEMP

Test Reg State: Florida

Order # GET210312-010044
Order Date: 2021-03-12
Sample # AABC118

Sampling Date: 2021-03-16
Lab Batch Date: 2021-03-16
Completion Date: 2021-03-23

Initial Gross Weight: 7.521 g



Product Image

Potency
Tested

Delta 8/Delta 10 Potency
12

Tested
(LCUV)

Potency Summary

Specimen Weight: 55.580 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	10.000	0.000026	0.001	941.500	94.150
Delta-10 THC	10.000	0.000003	0.001		<LOQ
Delta-9 THC	10.000	0.000013	0.001		<LOQ
CBC	10.000	0.000018	0.001		<LOQ
CBD	10.000	0.000054	0.001		<LOQ
THCV	10.000	0.000007	0.001		<LOQ
THCA-A	10.000	0.000032	0.001		<LOQ
CBN	10.000	0.000014	0.001		<LOQ
CBGA	10.000	0.000008	0.001		<LOQ
CBG	10.000	0.000248	0.001		<LOQ
CBDV	10.000	0.000065	0.001		<LOQ
CBDA	10.000	0.000001	0.001		<LOQ

Total THC None Detected	Total CBD None Detected
Total CBG None Detected	Total CBN None Detected
Other Cannabinoids 94.150%	Total Cannabinoids 94.150%

Xueli Gao
Ph.D., DABT
Lab Toxicologist

Aixia Sun
D.H.Sc., M.Sc., B.Sc., MT (AAB)
Lab Director/Principal Scientist



Definitions and Abbreviations used in this report: *Total CBD = CBD + (CBD-A * 0.877), *Total THC = THCA-A * 0.877 + Delta 9 THC, *CBG Total = (CBGA * 0.877) + CBG, *CBN Total = (CBNA * 0.877) + CBN, *Other Cannabinoids Total = CBC + CBDV + THCV + THCVA, *Total Detected Cannabinoids = CBD Total + CBG Total + CBN Total + THC Total + CBC + CBDV + THCV + THCVA, *Analyte Details above show the Dry Weight Concentrations unless specified as 12% moisture concentration. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (aw) = Area Ratio, (mg/Kg) = Milligram per Kilogram, *Measurement of Uncertainty = +/- 5%

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.